

GEMINOL 3-0-7 BIO®

ORGANO-MINERAL FERTILISERS NK LIQUID SUSPENSION FOR FERTIGATION

COMPOSITION:

Organic matrix: liquid blood, vinasse
Mineral matrices: potassium sulphate

Total safety from a sanitary and phyto-sanitary point of view due to heat treatment in accordance with EC Health Regulation 1069/2009 and EC Regulation 142/2011 establishing provisions for the elimination of all pathogens (bacteria, bacilli, viruses, etc.).

Total nitrogen (N)	3 %
Organic nitrogen (N)	3 %
Potassium oxide (K ₂ O) from sulphate	7 %
Organic carbon (C)	11 %

GEMINOL 3-0-7 BIO® is a liquid organo-mineral fertiliser containing animal blood, vinasse and potassium sulphate. It is a complete product especially recommended for root treatment on tree and horticultural crops, ensuring excellent root nourishment.

GEMINOL 3-0-7 BIO® can be applied from the earliest development stages up to fruit formation.

GEMINOL 3-0-7 BIO® ALSO IMPROVES HARVEST POTENTIAL DUE TO:

- greater development of root system resulting in improved elemental absorption.
- earlier ripening
- improved lignification
- greater intensity of flower, fruit and leaf colour
- anti-stress action (transplanting, frost, draught) through increasing defences
- greater resistance to various types of parasite attack
- improved bud development
- increased swelling
- increased Shelf Life of end product on commercial market

DOSES AND METHOD OF APPLICATION:

GEMINOL 3-0-7 BIO® can be applied onto all crop types and is distributed through the roots.
For complete methods and doses please refer to the table on the back.



AVAILABLE IN PACKS OF: 10/25/1000 KG

AGM S.R.L.

Via Prato Grande, 4 - 42024 Castelnovo di Sotto (RE)
Tel. +39 0522 685224 - Fax +39 0522 685225 -segreteria@agmsrl.info - www.agmsrl.info



Certificate no.
161772



Certificate no.
161771

GEMINOL 3-0-7 BIO®

CROPS	DOSE (kg/Ha)	PHENOLOGICAL PERIOD/ PHASE FERTIGATION
Table grape vine	20-25 20-25 20-25	Beginning of germination To fruit setting Pre-bunch closure
Wine grape vine	20 20 20	Beginning of germination To fruit setting Pre-bunch closure
Apple tree, pear tree	20-30 20-30 30-35	First buds To fruit setting Fruit swelling
Kiwi	20 20 20 20	Pre-flowering To fruit setting Fruit swelling Last fruit swelling
Cherry, plum, apricot, peach trees	30-35 30-35 30-35 30-35	Swollen bud Open cluster Fruit swelling After veraison
Olive	20 30 30 30	Pre-flowering To fruit setting Fruit swelling Veraison
Citrus fruits	20-30 20-30 20-30	Pre-flowering Flowering To growth of small fruits
Strawberry	15-20 15-20 15-20 15-20	After transplant Pre-flowering To fruit setting Fruit swelling
Small fruits (blueberry, raspberry, currant)	20-25	From plant reawakening
Tomato	20 20-30 20-30	After transplant Pre-flowering Fruit swelling
Water melon, melon	10-15 10-15 10-15	After transplant To fruit setting After 15-20 days
Potato	20-30 20-30 20-30	To sowing To row closure Beginning of flowering
Salad plants, lettuce, spinach endive, rocket, cut and come again radicchio	15-20	For 3-4 treatments from after transplant



AVAILABLE IN PACKS OF: 10/25/1000 KG

AGM S.R.L.

Via Prato Grande, 4 - 42024 Castelnuovo di Sotto (RE)

Tel. +39 0522 685224 - Fax +39 0522 685225 -segreteria@agmsrl.info - www.agmsrl.info



Certificate no.
161772



Certificate no.
161771